# Zebra SP2002 Lecteur de code barre fixe 1D/2D CMOS Noir





**Marque :** Zebra

**Code produit:** SP2002-SR4UR700SGW

**Nom du produit :** SP2002

Zebra SP2002. Type: Lecteur de code barre fixe, Type de scanner: 1D/2D, Type de capteur: CMOS. Technologie de connectivité: Avec fil, Interfaces standards: RS-232. Couleur du produit: Noir, Code (IP) Internationale Protection: IP52, Fonctions de protection: Résistant aux chutes, Protection contre les décharges électrostatiques (ESD), Résistant aux.... Type de source d'alimentation: USB, RS-232, Tension d'entrée: 4.75 - 5.25 V. Poids: 110 g, Largeur: 75 mm, Profondeur: 57 mm

| Numérisation | |
|---|---|
| Type * | Lecteur de code barre fixe |
| Type de scanner * | 1D/2D |
| Type de capteur * | CMOS |
| Linéaires (1D) codes barres acceptés * | Code 39, Code 128, Code 93, Codabar, Code 11, MSI-Plessey, EAN-13, UPC-A, Korean 3 of 5, GS1 DataBar, Code 32 |
| Matrix (2D) codes barres acceptés * | QR Code, Micro QR Code, Lecture code datamatrix, PDF417, MicroPDF417, Codes composites, Aztec Code, MaxiCode, SecurPharm, Postal Codes, GS1 Digital Link |
| Résolution du capteur optique (l x H) | 1280 x 800 pixels |
| Plage de distance de travail | 64 - 198 mm |
| point de vue horizontale | 62° |
| point de vue verticale | 41° |
| Angle de lecture Horizontal (Pitch) | -60 - 60° |

| Connectivité | |
|---|---|
| Technologie de connectivité * | Avec fil |
| Interfaces standards * | RS-232 |

| représentation / réalisation | |
|---|---|
| Code (IP) Internationale Protection | IP52 |

| représentation / réalisation | |
|---|---|
| Voyants | Énergie |
| Contraste d'impression | 20% |
| Couleur du produit * | Noir |

| Puissance | |
|---|---|
| Type de source d'alimentation * | USB, RS-232 |
| Tension d'entrée | 4.75 - 5.25 V |

| Poids et dimensions | |
|---|---|
| Largeur | 75 mm |
| Profondeur | 57 mm |
| Hauteur | 75 mm |
| Poids * | 110 g |

| Conditions environnementales | |
|---|---|
| Température d'opération | 0 - 50 °C |
| Température hors fonctionnement | -40 - 70 °C |
| Humidité relative de fonctionnement (H-H) | 5 - 95% |
| Résistance aux chutes | 1,5 m |

| Technical details | |
|---|---|
| Période de garantie | 3 année(s) |
| Certificats de conformité | IECEx, CSA, UL |

| **représentation / réalisation** | |
|---|---|
| Fonctions de protection | Résistant aux chutes, Protection contre les décharges électrostatiques (ESD), Résistant aux impacts, Résistant aux chocs |

**Catalog Object Cloud**



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 25-OCT-2026. Prints or copies of Information are only valid on the printed Publication date