



Zebra ZQ610 Plus imprimante pour étiquettes Thermique directe 203 x 203 DPI 115 mm/sec Avec fil & sans fil Wifi Bluetooth

Marque : Zebra

Code produit: ZQ61-AUF2004-00

Nom du produit : ZQ610 Plus

Zebra ZQ610 Plus. Technologie d'impression: Thermique directe, Résolution maximale: 203 x 203 DPI, Vitesse d'impression (mesure métrique): 115 mm/sec. Technologie de connectivité: Avec fil & sans fil, Wifi, Bluetooth, Modèle du Bluetooth: 4.2, Port USB. Couleur du produit: Noir



Vitesse d'impression		représentation / réalisation	
Technologie d'impression *	Thermique directe	Nombre de polices	25
Résolution maximale *	203 x 203 DPI	Algorithme de sécurité soutenu	802.1x RADIUS, AES, EAP-FAST, EAP-TLS, EAP-TTLS, LEAP, PEAP, TKIP, WEP, WPA, WPA2
Vitesse d'impression (mesure métrique) *	115 mm/sec	Design	
Largeur maximum d'impression *	4,8 cm	Couleur du produit *	Noir
Hauteur d'impression maximale	81,3 cm	Écran intégré	✓
Impression vertical	✓	Écran *	LCD
Gestion du papier		Résolution de l'écran	288 x 240 pixels
Largeur max. de l'étiquette	4,8 cm	Affichage couleur	✓
Diamètre max. du rouleau	5,59 cm	Batterie	
Connectivité		Technologie batterie	Lithium-Ion (Li-Ion)
Technologie de connectivité *	Avec fil & sans fil	Capacité de la batterie	3250 mAh
Wifi *	✓	Configuration minimale du système	
Standards wifi	Wi-Fi 5 (802.11ac)	Système mobile supporté	Android, Windows Mobile, iOS
Bluetooth	✓	Conditions environnementales	
Modèle du Bluetooth	4.2	Humidité relative de fonctionnement (H-H)	10 - 90%
Port USB *	✓	Taux d'humidité relative (stockage)	10 - 90%
Quantité de Ports USB 2.0	1	Température d'opération	-20 - 50 °C
Port RS-232	1	Température hors fonctionnement	-25 - 65 °C
représentation / réalisation		Poids et dimensions	
Langues de la description de page	CPCL-native, EPL, ZBI, ZPL	Largeur	89 mm
Mémoire interne	256 Mo		
Mémoire flash	512 Mo		

représentation / réalisation		Poids et dimensions	
Codes barres intégrés	2D, AZTECCODE, CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 93, Lecture code datamatrix, EAN128, EAN13, EAN8, GS1 DataBar, Interleaved 2/5, MaxiCode, Micro QR Code, MicroPDF417, PDF417, QR Code, TLC39, UPC-A, UPC-E	Profondeur	165 mm
		Hauteur	70 mm
		Poids	600 g

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.