

TP-Link Omada OC300 entrée et régulateur 10, 100, 1000 Mbit/s

Marque : TP-Link

Famille de produit: Omada

Code produit: OC300

Nom du produit : OC300

TP-Link Omada OC300. Couleur du produit: Noir, Capacité du rack: 1U. Fabricant de processeur: ARM, Famille de processeur: ARM Cortex, Mémoire interne: 2000 Mo. Protocoles pris en charge: Routing/NAT/Session Limit/Bandwidth Control VPN (IPSec/L2TP/PPTP/OpenVPN) RADIUS.... LAN Ethernet : taux de transfert des données: 10,100,1000 Mbit/s, Support de VPN: VPN (IPSec/L2TP/PPTP/OpenVPN). Algorithme de sécurité soutenu: SNMP, SSH



Design		Connectivité	
Couleur du produit *	Noir	Quantité de ports de type A USB 3.2 Gen 1 (3.1 Gen 1)	1
Capacité du rack	1U	Nombre de port ethernet LAN (RJ-45)	2
Voyants	✓		
représentation / réalisation		Caractéristiques de gestion	
Unité d'affichage de contrôle *	✗	Gestion basée sur le web	✓
Intégré dans le processeur	✓	Syslog	✓
Fabricant de processeur	ARM	Statistiques de trafic	✓
Famille de processeur	ARM Cortex		
Nombre de processeurs installés	1	Puissance	
Mémoire interne	2000 Mo	Consommation électrique typique	9 W
Type de mémoire interne	DDR4	Consommation (max)	14,8 W
Mémoire flash	2 Mo	Tension d'entrée	100 - 240 V
Protocoles		Fréquence d'entrée	50/60 Hz
Protocoles pris en charge	Routing/NAT/Session Limit/Bandwidth Control VPN (IPSec/L2TP/PPTP/OpenVPN) RADIUS (Authentication/MAC Auth/Accounting) 802.1x	Poids et dimensions	
		Largeur	294 mm
		Profondeur	180 mm
		Hauteur	44 mm
Réseau		Contenu de l'emballage	
LAN Ethernet : taux de transfert des données	10,100,1000 Mbit/s	Câbles inclus	LAN (RJ-45)
Support de VPN	VPN (IPSec/L2TP/PPTP/OpenVPN)	Guide d'installation rapide	✓
Sécurité		Conditions environnementales	
Liste de contrôle d'accès (ACL)	✓	Température d'opération	0 - 50 °C
Filtrage d'adresse MAC	✓	Température hors fonctionnement	-40 - 70 °C
Algorithme de sécurité soutenu	SNMP, SSH	Humidité relative de fonctionnement (H-H)	10 - 90%
Traduction d'adresses IP (NAT, Network address translation)	✓	Taux d'humidité relative (stockage)	5 - 90%

Certificat

Certification

CE, FCC, RoHS



6935364089863



6935364053208



0845973089863



845973089863



1210002611275



1210002611268



0840460604666



840460604666

Catalog Object Cloud



Disclaimer: The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of web pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.