



## TP-Link Omada EAP723 point d'accès réseaux locaux sans fil 3600 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE)

Marque : TP-Link

Famille de produit: Omada

Code produit: EAP723

Nom du produit : EAP723

TP-Link Omada EAP723. 2,4 GHz, 5 GHz, Débit de transfert des données maximum: 3600 Mbit/s. Algorithme de sécurité soutenu: SNMP, SNMPv2, SNMPv3, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal,.... Connexion Ethernet, supportant l'alimentation via ce port (PoE). Couleur du produit: Blanc. Consommation (max): 18,6 W



| Caractéristiques                                 |                                                                                       | Caractéristiques de gestion                                       |                                                                         |
|--------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------------|
| 2,4 GHz *                                        | ✓                                                                                     | Gestion basée sur le web                                          | ✓                                                                       |
| 5 GHz *                                          | ✓                                                                                     | Syslog                                                            | ✓                                                                       |
| 6 GHz *                                          | ✗                                                                                     | <b>Connectivité</b>                                               |                                                                         |
| Débit de transfert des données maximum *         | 3600 Mbit/s                                                                           | Nombre de port ethernet LAN (RJ-45) *                             | 1                                                                       |
| Débit de transfert des données maximum (2,4 GHz) | 688 Mbit/s                                                                            | Entrée DC                                                         | ✓                                                                       |
| Débit de transfert des données maximum (5 GHz)   | 2882 Mbit/s                                                                           | <b>Puissance</b>                                                  |                                                                         |
| Bande de fréquence                               | 2.4 - 5 GHz                                                                           | Connexion Ethernet, supportant l'alimentation via ce port (PoE) * | ✓                                                                       |
| Bande passante                                   | 2,4 GHz                                                                               | Gamme de tension continue                                         | 12 V                                                                    |
| Standards réseau                                 | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n | Courant d'entrée                                                  | 1.5 A                                                                   |
| Sélection automatique du canal                   | ✓                                                                                     | Consommation (max)                                                | 18,6 W                                                                  |
| MIMO (entrées multiples, sorties multiples)      | ✓                                                                                     | <b>Design</b>                                                     |                                                                         |
| Type MIMO                                        | Multi User MIMO                                                                       | Positionnement *                                                  | Plafond, Mur                                                            |
| Méthode de propagation du spectre                | OFDMA                                                                                 | Couleur du produit *                                              | Blanc                                                                   |
| Monter les fonctions du mode AP                  | Réseau maillé                                                                         | Bouton de réinitialisation                                        | ✓                                                                       |
| Support VLAN                                     | ✓                                                                                     | Voyants                                                           | ✓                                                                       |
| Limitation du débit                              | ✓                                                                                     | <b>Antenne</b>                                                    |                                                                         |
| Direction de la bande                            | ✓                                                                                     | Type d'antenne *                                                  | Interne                                                                 |
| Airtime Fairness (ATF)                           | ✓                                                                                     | Niveau de gain de l'antenne (max)                                 | 5 dBi                                                                   |
| Qualité de service (QoS)                         | ✓                                                                                     | <b>Certificat</b>                                                 |                                                                         |
| BeamForming                                      | ✓                                                                                     | Certificats de conformité                                         | CE, Federal Communications Commission (FCC), Industry Canada (IC), RoHS |
|                                                  |                                                                                       | <b>Poids et dimensions</b>                                        |                                                                         |
|                                                  |                                                                                       | Largeur                                                           | 160 mm                                                                  |

| Sécurité                         |                                                                                                                    | Poids et dimensions          |            |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------|------------|
| Algorithme de sécurité soutenu * | SNMP, SNMPv2, SNMPv3, WPA-Enterprise, WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise, WPA3-Personal | Profondeur                   | 160 mm     |
|                                  |                                                                                                                    | Hauteur                      | 36,7 mm    |
|                                  |                                                                                                                    | Informations sur l'emballage |            |
| Filtrage d'adresse MAC           | ✓                                                                                                                  | Type d'emballage             | Boîte      |
| Liste de contrôle d'accès (ACL)  | ✓                                                                                                                  | Contenu de l'emballage       |            |
|                                  |                                                                                                                    | Quantité                     | 1 pièce(s) |
|                                  |                                                                                                                    | Kit de montage               | ✓          |
|                                  |                                                                                                                    | Guide de démarrage rapide    | ✓          |




8885020623031



0810142821711



810142821711



8885020623048

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.