

TP-Link Omada EAP650-Outdoor 3000 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE)

Marque : TP-Link

Famille de produit: Omada

Code produit: EAP650-OUTDOOR

Nom du produit : EAP650-Outdoor

TP-Link Omada EAP650-Outdoor. 2,4 GHz, 5 GHz, Débit de transfert des données maximum: 3000 Mbit/s. Algorithme de sécurité soutenu: WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3, WPA3-Enterprise. LAN Ethernet : taux de transfert des données: 10,100,1000 Mbit/s. Connexion Ethernet, supportant l'alimentation via ce port (PoE). Couleur du produit: Blanc



Caractéristiques		Sécurité	
2,4 GHz *	✓	Fonctions du Service Set Identifier (SSID)	Multiple SSIDs, Marche/Arrêt de diffusion SSID
5 GHz *	✓	Connectivité	
6 GHz *	✗	Nombre de port ethernet LAN (RJ-45) *	1
Débit de transfert des données maximum *	3000 Mbit/s	Puissance	
Débit de transfert des données maximum (2,4 GHz)	574 Mbit/s	Connexion Ethernet, supportant l'alimentation via ce port (PoE) *	✓
Débit de transfert des données maximum (5 GHz)	2402 Mbit/s	Design	
LAN Ethernet : taux de transfert des données	10,100,1000 Mbit/s	Positionnement *	Poteau, Mur
Standards réseau	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.1x, IEEE 802.3at	Couleur du produit *	Blanc
		Code (IP) Internationale Protection	IP67
Technologie de câblage	10/100/1000Base-T(X)	Bouton de réinitialisation	✓
Nombre d'utilisateurs	250 utilisateur(s)	Voyants	✓
Sélection automatique du canal	✓	Antenne	
Balayage de canal automatique	✓	Type d'antenne *	Interne
MIMO (entrées multiples, sorties multiples)	✓	Type de direction d'antenne	Omni-directionnel
Type MIMO	Multi User MIMO	Certificat	
Monter les fonctions du mode AP	Réseau maillé	Certification	CE, FCC, RoHS
Support VLAN	✓	Poids et dimensions	
Limitation du débit	✓	Largeur	280,4 mm
Direction de la bande	✓	Profondeur	106,5 mm
Airtime Fairness (ATF)	✓	Hauteur	56,8 mm
Qualité de service (QoS)	✓	Contenu de l'emballage	
BeamForming	✓	Quantité	1 pièce(s)
		Kit de montage	✓


Sécurité		Contenu de l'emballage	
Algorithme de sécurité soutenu *	WPA, WPA-Enterprise, WPA2, WPA2-Enterprise, WPA3, WPA3-Enterprise	Guide de démarrage rapide	✓
Filtrage d'adresse MAC	✓	Conditions environnementales	
		Humidité relative de fonctionnement (H-H)	10 - 90%
		Température d'opération	-30 - 70 °C
		Température hors fonctionnement	-40 - 70 °C
		Taux d'humidité relative (stockage)	5 - 90%



4897098682098



4897098683552



0840030703553



840030703553

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.