




TP-Link Omada AX3000 3000 Mbit/s Blanc Connexion Ethernet, supportant l'alimentation via ce port (PoE)

Marque : TP-Link

Code produit: EAP650GP-DESKTOP

Nom du produit : Omada AX3000

TP-Link Omada AX3000. 2,4 GHz, 5 GHz, Débit de transfert des données maximum: 3000 Mbit/s. Algorithme de sécurité soutenu: HTTPS, SNMP, SNMPv2, SNMPv3, WPA, WPA2, WPA3. Connexion Ethernet, supportant l'alimentation via ce port (PoE). Couleur du produit: Blanc



Caractéristiques		Connectivité	
2,4 GHz *	✓	Nombre de port ethernet LAN (RJ-45) *	4
5 GHz *	✓	Entrée DC	✓
6 GHz *	✗	Puissance	
Débit de transfert des données maximum *	3000 Mbit/s	Connexion Ethernet, supportant l'alimentation via ce port (PoE) *	✓
Débit de transfert des données maximum (2,4 GHz)	574 Mbit/s	Design	
Débit de transfert des données maximum (5 GHz)	2402 Mbit/s	Positionnement *	Bureau
Bande de fréquence	2.4 - 5 GHz	Couleur du produit *	Blanc
Standards réseau	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11ax	Bouton de réinitialisation	✓
Sélection automatique du canal	✓	Voyants	✓
Balayage de canal automatique	✓	Antenne	
MIMO (entrées multiples, sorties multiples)	✓	Type d'antenne *	Interne
Type MIMO	Multi User MIMO	représentation / réalisation	
Fonctions LAN virtuelles	SSID-based VLAN assignment	Systèmes d'exploitation compatibles	Microsoft Windows XP, Vista, Windows 7, Windows 8, Windows10, Windows11, Linux
Limitation du débit	✓	Certificat	
Direction de la bande	✓	Certification	CE, FCC, RoHS
Airtime Fairness (ATF)	✓	Poids et dimensions	
Puissance de transmission (CE)	<20 dBm(2.4 GHz, EIRP); <23 dBm(5 GHz band1/2, EIRP); <25 dBm (5 GHz band3)	Largeur	175 mm
Puissance de transmission (FCC)	<26 dBm (2.4 GHz); <27 dBm (5 GHz)	Profondeur	140 mm
Sécurité		Hauteur	33 mm
Algorithme de sécurité soutenu *	HTTPS, SNMP, SNMPv2, SNMPv3, WPA, WPA2, WPA3	Poids	511 g
		Contenu de l'emballage	
		Quantité	5 pièce(s)

Sécurité		Contenu de l'emballage	
Nombre de prises en charge de SSID	16	Kit de montage	✓
Caractéristiques de gestion		Guide de démarrage rapide	✓
		Conditions environnementales	
Gestion basée sur le web	✓	Humidité relative de fonctionnement (H-H)	0 - 40%
		Température d'opération	10 - 90 °C
		Température hors fonctionnement	-40 - 70 °C
		Taux d'humidité relative (stockage)	5 - 90%



0840460602518



840460602518



1210002605960

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.