



TP-Link ES210X-M2 commutateur réseau Géré 2.5G Ethernet (100/1000/2500) Montage sur le bureau ou sur le mur Noir

Marque : TP-Link

Code produit: ES210X-M2

Nom du produit : ES210X-M2

TP-Link ES210X-M2. Type de commutateur: Géré. Type de port Ethernet RJ-45 de commutation de base: 2.5G Ethernet (100/1000/2500), Quantité de ports Ethernet RJ-45 de commutation de base: 8. Répertoire MAC: 16000 entrées, Capacité de commutation: 80 Gbit/s. Standards réseau: IEEE 802.1p. Grille de montage, Format: Montage sur le bureau ou sur le mur



Caractéristiques de gestion		Sécurité	
Type de commutateur *	Géré	Filtrage IGMP	✓
Connectivité		Design	
Quantité de ports Ethernet RJ-45 de commutation de base *	8	Grille de montage *	✓
Type de port Ethernet RJ-45 de commutation de base *	2.5G Ethernet (100/1000/2500)	Format	Montage sur le bureau ou sur le mur
Quantités d'emplacements de module SFP+	2	Couleur du produit	Noir
Réseau		Voyants	✓
Standards réseau *	IEEE 802.1p	représentation / réalisation	
Soutien 10G *	✗	Micrologiciel évolutif	✓
Port mirroring (Mise en miroir des ports)	✓	Puissance	
Assistance contrôle des flux	✓	Source d'alimentation *	CC
Agrégation de lien	✓	Bloc d'alimentation inclus *	✓
Contrôle Broadcast storm	✓	PoE (alimentation via le port Ethernet)	
Auto MDI/MDI-X	✓	Connexion Ethernet, supportant l'alimentation via ce port (PoE) *	✗
Transmission des données		Conditions environnementales	
Capacité de commutation *	80 Gbit/s	Température d'opération	-5 - 40 °C
Taux de transfert	59,52 Mpps	Température hors fonctionnement	-40 - 70 °C
Répertoire MAC *	16000 entrées	Humidité relative de fonctionnement (H-H)	10 - 90%
Enregistrement-et-réémission	✓	Taux d'humidité relative (stockage)	5 - 90%
Support de trames étendues (Jumbo Frames)	✓	Poids et dimensions	
Mémoire cache de paquet	0,64 Mo	Largeur	209 mm
Sécurité		Profondeur	126 mm
Fonctions DHCP	DHCP client	Hauteur	26 mm

Contenu de l'emballage

Guide de démarrage rapide





1210002600743



0840460600330



840460600330

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.