



TP-Link TL-SG108E Géré L2 Gigabit Ethernet (10/100/1000) Noir

Marque : TP-Link

Code produit: TL-SG108E V5


Nom du produit : TL-SG108E

TP-Link TL-SG108E. Type de commutateur: Géré, Banc de commutateurs: L2. Type de port Ethernet RJ-45 de commutation de base: Gigabit Ethernet (10/100/1000), Quantité de ports Ethernet RJ-45 de commutation de base: 8. Répertoire MAC: 4000 entrées, Capacité de commutation: 16 Gbit/s. Standards réseau: IEEE 802.1ab, IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3u, IEEE 802.3x



Caractéristiques de gestion		Sécurité	
Type de commutateur *	Géré	Protection en boucle	✓
Banc de commutateurs	L2	Design	
Qualité de service (QoS)	✓	Couleur du produit	Noir
Gestion basée sur le web	✓	Matériau du boîtier/corps	Métal
Connectivité		Voyants	✓
Quantité de ports Ethernet RJ-45 de commutation de base *	8	représentation / réalisation	
Type de port Ethernet RJ-45 de commutation de base *	Gigabit Ethernet (10/100/1000)	Plug and Play	✓
Quantité de ports .Gigabit Ethernet (copper)	8	Puissance	
Réseau		Source d'alimentation *	CC
Standards réseau *	IEEE 802.1ab, IEEE 802.1p, IEEE 802.1Q, IEEE 802.3, IEEE 802.3u, IEEE 802.3x	Bloc d'alimentation inclus *	✓
Soutien 10G *	✗	Courant d'entrée	0.6 A
Types de câbles soutenus	Cat3, Cat4, Cat5, Cat5e	Tension d'entrée	9 V
Port mirroring (Mise en miroir des ports)	✓	Consommation (max)	3,55 W
Agrégation de lien	✓	Conditions environnementales	
Contrôle Broadcast storm	✓	Température d'opération	0 - 40 °C
Auto MDI/MDI-X	✓	Température hors fonctionnement	-40 - 70 °C
Négociation automatique	✓	Humidité relative de fonctionnement (H-H)	10 - 90%
Support VLAN	✓	Taux d'humidité relative (stockage)	5 - 90%
Fonctions LAN virtuelles	Port-based VLAN	Dissipation thermique	12,12 BTU/h
Nombre de VLANs	32	Poids et dimensions	
Transmission des données		Largeur	158 mm
Capacité de commutation *	16 Gbit/s	Profondeur	101 mm
		Hauteur	25 mm
		Contenu de l'emballage	
		Câbles inclus	Secteur

Transmission des données		Contenu de l'emballage	
Taux de transfert	11,9 Mpps	Guide d'utilisation	✓
Répertoire MAC *	4000 entrées	Informations sur l'emballage	
Enregistrement-et-réémission	✓	Type d'emballage	Boîte
Support de trames étendues (Jumbo Frames)	✓	Largeur du colis	130 mm
Trames géantes	15000	Profondeur du colis	191 mm
Mémoire cache de paquet	1,5 Mo	Hauteur du colis	92 mm
Sécurité		Poids du paquet	630 g
Filtrage IGMP	✓	Certificat	
Algorithme de sécurité soutenu	SNMP, SNMPv2, SNMPv3	Certification	FCC, CE, RoHS



0845973021856



845973021856



6935364021856



6935364021863

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.