

TP-Link Omada S7500-48XF4C commutateur réseau Géré

Marque : TP-Link

Famille de produit: Omada

Code produit: S7500-48XF4C

Nom du produit :
S7500-48XF4C



TP-Link Omada S7500-48XF4C. Type de commutateur: Géré. Quantité de Ports USB 2.0: 3, Port de console: RJ-45. Répertoire MAC: 128000 entrées, Capacité de commutation: 1760 Gbit/s. Grille de montage

Caractéristiques de gestion		Caractéristiques de multidiffusion	
Type de commutateur *	Géré	Support à la multidiffusion	✓
Gestion basée sur le web	✓	Protocoles	
Géré sur le Cloud	✓	Protocoles de gestion	SNMPv1/v2c/v3
Connectivité		Design	
Type de port Ethernet RJ-45 de commutation de base *	✗	Grille de montage *	✓
Quantités d'emplacements de module SFP+	48	Empilable *	✓
Port de console	RJ-45	Puissance	
Quantité de ports QSFP28	4	Source d'alimentation *	Secteur
Quantité de Ports USB 2.0	3	Bloc d'alimentation inclus *	✓
Réseau		Tension d'entrée AC	110 V
Soutien 10G *	✓	Fréquence d'entrée AC	60 Hz
Assistance contrôle des flux	✓	Consommation (max)	86,7 W
Agrégation de lien	✓	PoE (alimentation via le port Ethernet)	
Limitation du débit	✓	Connexion Ethernet, supportant l'alimentation via ce port (PoE) *	✗
Protocoles Spanning Tree (STP)	✓	Conditions environnementales	
LAN Ethernet : taux de transfert des données	1000,10000,40000,100000 Mbit/s	Température d'opération	-5 - 40 °C
Support VLAN	✓	Température hors fonctionnement	-40 - 70 °C
Transmission des données		Humidité relative de fonctionnement (H-H)	10 - 90%
Capacité de commutation *	1760 Gbit/s	Taux d'humidité relative (stockage)	5 - 90%
Taux de transfert	610,1 Mpps	Dissipation thermique	295,85 BTU/h
Répertoire MAC *	128000 entrées	Poids et dimensions	
Support de trames étendues (Jumbo Frames)	✓	Largeur	440 mm
Trames géantes	9000	Profondeur	380 mm
		Hauteur	44 mm

Transmission des données		Contenu de l'emballage	
Mémoire cache de paquet	8 Mo	Câbles inclus	Secteur, LAN (RJ-45)
Sécurité		Informations sur l'emballage	
Fonctions DHCP	DHCP client	Type d'emballage	Boîte



4895252505375



1210002612715



0840030711237



840030711237

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.