



TP-Link Omada Pro S7500-24Y4C commutateur réseau Géré L3 Gris

Marque : TP-Link Famille de produit: Omada Pro Code produit: S7500-24Y4C

Nom du produit : S7500-24Y4C

TP-Link Omada Pro S7500-24Y4C. Type de commutateur: Géré, Banc de commutateurs: L3. Port de console: RJ-45/USB Type-C. Répertoire MAC: 128000 entrées, Capacité de commutation: 2000 Gbit/s. Standards réseau: IEEE 802.1p. Grille de montage



Caractéristiques de gestion		Sécurité	
Type de commutateur *	Géré	Filtrage IGMP	✓
Banc de commutateurs	L3	Filtrage d'adresse MAC	✓
Géré sur le Cloud	✓	Sécurité de port statique	✓
Configuration des paramètres de localisation (CLI)	✓	Support SSH/SSL	✓
Connectivité		Type d'authentification	AAA, RADIUS, TACACS+
Type de port Ethernet RJ-45 de commutation de base *	✗	Design	
Port de console	RJ-45/USB Type-C	Grille de montage *	✓
Quantité de ports QSFP28	4	Empilable *	✓
Quantité de ports SFP28	24	Couleur du produit	Gris
Réseau		Voyants	✓
Standards réseau *	IEEE 802.1p	Nombre de ventilateurs	4 ventilateur(s)
Soutien 10G *	✓	Puissance	
Assistance contrôle des flux	✓	Source d'alimentation *	Secteur
Agrégation de lien	✓	Bloc d'alimentation inclus *	✓
Contrôle Broadcast storm	✓	Tension d'entrée AC	100 - 240 V
Limitation du débit	✓	Fréquence d'entrée AC	50/60 Hz
Protocles Spanning Tree (STP)	✓	Consommation (max)	137,63 W
Fonctions LAN virtuelles		PoE (alimentation via le port Ethernet)	
IP subnet-based VLAN, MAC address-based VLAN, Port-based VLAN, Protocol-based VLAN, Voice VLAN		Connexion Ethernet, supportant l'alimentation via ce port (PoE) *	✗
Transmission des données		Conditions environnementales	
Capacité de commutation *	2000 Gbit/s	Température d'opération	-5 - 40 °C
Taux de transfert	810 Mpps	Température hors fonctionnement	-40 - 70 °C
Répertoire MAC *	128000 entrées	Humidité relative de fonctionnement (H-H)	10 - 90%
Nombre de files	8	Taux d'humidité relative (stockage)	5 - 90%

Transmission des données		Conditions environnementales	
Route statique	✓	Dissipation thermique	1658,78 BTU/h
Support de trames étendues (Jumbo Frames)	✓	Poids et dimensions	
Trames géantes	9000	Largeur	440 mm
Mémoire cache de paquet	8 Mo	Profondeur	380 mm
		Hauteur	44 mm
Sécurité		Contenu de l'emballage	
Fonctions DHCP	DHCP relay, DHCP server	Câbles inclus	Secteur, LAN (RJ-45)
Liste de contrôle d'accès (ACL)	✓	Guide de démarrage rapide	✓



4895252505351



0840030711220



840030711220



1210002638623

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.