StarTech.com 3114GCN-WALL-CHARGER chargeur de téléphones portables Universel Noir Secteur Chargement rapide Intérieure



Marque : StarTech.com

Code produit: 3114GCN-WALL-CHARGER

Nom du produit : 3114GCN-WALL-CHARGER

StarTech.com 3114GCN-WALL-CHARGER. Type de chargeur: Intérieure, Type de source d'alimentation: Secteur, Compatibilité de chargeur: Universel. Tension d'entrée: 100 - 240 V, Tension de sortie (max): 28 V. Quantité de ports USB de type C: 3, Chargement rapide, Dispositifs de protection électrique: Sur-courant, Surtension, Surchauffe. Couleur du produit: Noir



représentation / réalisation	
Compatibilité de chargeur *	Universel
Type de source d'alimentation *	Secteur
Quantité de ports de type A USB 3.2 Gen 1 (3.1 Gen 1)	1
Quantité de ports USB de type C	3
Chargement rapide	✔
Technologie de chargement rapide	Power Delivery 3.1
Type de chargeur *	Intérieure
Nombre d'appareils connectés simultanément (max) *	4
Alimentation programmable (PPS)	✔
Capacité de puissance USB	✔
Révision de la délivrance de la puissance USB	3.1
Dispositifs de protection électrique	Sur-courant, Surtension, Surchauffe

Design	
Couleur du produit *	Noir
Matériau du boîtier/corps	Plastique
Transistors en nitrure de gallium (GaN)	✔

Puissance	
Tension d'entrée	100 - 240 V
Fréquence d'entrée	50 - 60 Hz
Courant d'entrée	2.2 A
Puissance max.	142 W
Tension de sortie (max)	28 V
Tension de sortie (min)	5 V

Puissance	
Puissance de sortie du port 2	65 W
Puissance de sortie du port 3	65 W
Puissance de sortie du port 4	12 W
Courant de sortie de Port 1	5 A
Courant de sortie de Port 2	3,25 A
Courant de sortie du port 3	3,25 A
Courant de sortie du port 4	2,4 A

Informations sur l'emballage	
Largeur du colis	172 mm
Profondeur du colis	143 mm
Hauteur du colis	40 mm
Poids du paquet	435 g

Conditions environnementales	
Température d'opération	0 - 25 °C
Température hors fonctionnement	-20 - 80 °C
Humidité relative de fonctionnement (H-H)	10 - 90%
Taux d'humidité relative (stockage)	10 - 90%

Contenu de l'emballage	
Manuel d'utilisation	✔
Types de fiches d'alimentation fournies	AU, EU, NA, UK

Certificat	
Certificats de conformité	UL

Données logistiques	
Largeur du carton principal	384 mm

Puissance	
Puissance de sortie du port 1	140 W

Données logistiques	
Longueur du carton principal	213 mm
Hauteur du carton principal	179 mm
Quantité par carton principal	20 pièce(s)



0065030903936



065030903936

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 05-NOV-2026. Prints or copies of Information are only valid on the printed Publication date