APC AP4434A Commutateur de transfert automatique (ATS, Automatic Transfer Switches)

Marque : APC

Code produit: AP4434A

Nom du produit : AP4434A



APC AP4434A. Tension de voltage à l'entrée (min): 187 V, Tension de voltage à l'entrée (max): 228 V, Fréquence d'entrée AC: 50/60 Hz. Format: A mettre sur rack, Capacité du rack: 1U, Couleur du produit: Noir. Type d'admission CA: Coupleur C20, Types de sortie AC: IEC 60320. Largeur: 432 mm, Profondeur: 236 mm, Hauteur: 44 mm. Largeur du colis: 600 mm, Profondeur du colis: 356 mm, Hauteur du colis: 114 mm



Puissance	
Tension de voltage à l'entrée (min) *	187 V
Tension de voltage à l'entrée (max) *	228 V
Fréquence d'entrée AC	50/60 Hz
Courant d'entrée	20 A
tension de voltage à la sortie (min)	208 V
Tension de voltage à la sortie (max)	208 V
Courant de sortie	20 A

Design	
Format *	A mettre sur rack
Capacité du rack	1U
Couleur du produit	Noir
Certification	cUL listed; CE; UL listed

Connectivité	
Type d'admission CA	Coupleur C20
Types de sortie AC	IEC 60320

Conditions environnementales	
Température d'opération	-5 - 45 °C
Température hors fonctionnement	-25 - 65 °C
Humidité relative de fonctionnement (H-H)	5 - 95%
Taux d'humidité relative (stockage)	5 - 95%

Données logistiques	
Code de produit de douane (TARIC)	8537109899

Certificat	
Conforme à la norme (WEEE, Waste Electrical and Electronic Equipment)	✔

Technical details	
Certificats de durabilité	UL ECOLOGO
Conformité à la durabilité	✔
Empreinte carbone totale (kg of CO2e)	1230,5930512182
Certificats de conformité	RoHS, REACH, WEEE
Emballage durable	✘
Matériaux recyclés de l'emballage	Carton recyclé
Montage	front; rear; horizontal
Batterie amovible	✔
Proposition 65	✔
Sans halogène	✘
Position de montage préférée	no preference
Système de reprise	✘
Emballage sans plastique à usage unique	✘

Poids et dimensions	
Largeur	432 mm
Profondeur	236 mm
Hauteur	44 mm
Poids	3,74 kg

Informations sur l'emballage	
Largeur du colis	600 mm
Profondeur du colis	356 mm
Hauteur du colis	114 mm

Informations sur l'emballage	
Poids du paquet	5,51 kg

0731304432500

731304432500

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date