APC NetShelter™ 9000 unité de distribution d'énergie 24 sortie(s) CA 0U Noir



Marque : APC

Code produit: APDU9941

Nom du produit : NetShelter™ 9000

APC NetShelter™ 9000. Types de PDU: Commutable, Capacité du rack: 0U, Type: Monophasé. Nombre de prises en sortie: 24 sortie(s) CA, Types de sortie AC: Coupleur C13, Coupleur C15, Coupleur C19, Coupleur C21, Prise mâle: NEMA L6-30P. Longueur de câble: 3 m. Tension nominale à l'entrée: 208; 200 V, Intensité (max.): 30 A, Tension nominale de sortie: 200 - 208 V. Compliance certificates: RoHS, REACH, WEEE, Certification: cUL listed; FCC part 15 class A; PSE



Design	
Types de PDU *	Commutable
Type	Monophasé
Capacité du rack *	0U
Montage	verticale
Couleur du produit	Noir
Connectivité	
Nombre de prises en sortie *	24 sortie(s) CA
Prise mâle	NEMA L6-30P
Types de sortie AC *	Coupleur C13, Coupleur C15, Coupleur C19, Coupleur C21
Nombre de port ethernet LAN (RJ-45)	1
Type de connexion d'entrée	NEMA L6-30P
Caractéristiques	
Longueur de câble	3 m
Puissance	
Tension nominale à l'entrée *	208; 200 V
Intensité (max.) *	30 A
Tension nominale de sortie	200 - 208 V
Tension de sortie	200 V; 208 V
Capacité d'alimentation/charge	4992 VA
Certificat	
Conforme à la norme (WEEE, Waste Electrical and Electronic Equipment)	✔
Certificats de conformité	RoHS, REACH, WEEE
Certification	cUL listed; FCC part 15 class A; PSE
Sustainability	
Conformité à la durabilité	✔
Conditions environnementales	
Température d'opération	-5 - 60 °C

Conditions environnementales	
Humidité relative de fonctionnement (H-H)	5 - 95%
Altitude de fonctionnement	0 - 3048 m
Altitude de non fonctionnement	0 - 15240 m
Poids et dimensions	
Largeur	55 mm
Profondeur	46 mm
Hauteur	1829 mm
Poids	8,5 kg
Contenu de l'emballage	
Manuel d'utilisation	✔
Informations sur l'emballage	
Poids du paquet	10 kg
Largeur du colis	165 mm
Profondeur du colis	124 mm
Hauteur du colis	2040 mm
Technical details	
Emballage durable	✘
Matériaux recyclés de l'emballage	Carton recyclé
Numéro SCIP	31346aed-552c-4a16-81d9-e683a383b6da
Batterie amovible	✔
Position de montage préférée	no preference
Système de reprise	✘
Emballage sans plastique à usage unique	✘
Données logistiques	
Pays d'origine	Inde
Code de produit de douane (TARIC)	8537109899
Empreinte carbone totale (kg of CO2e)	2641,6506196672

Conditions environnementales	
Température hors fonctionnement	-25 - 65 °C



0731304356264



731304356264

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date