TP-Link Archer C80 routeur sans fil Gigabit Ethernet Bi-bande (2,4 GHz / 5 GHz) Noir





Marque : TP-Link

Code produit: ARCHER C80

Nom du produit : Archer C80

AC1900, Wi-Fi 5, 2.4 + 5 GHz, 600 + 1300 Mbps, 1.2 GHz CPU, 215 × 117 × 32 mm
TP-Link Archer C80. Type de connexion WAN: RJ-45. Bande Wi-Fi: Bi-bande (2,4 GHz / 5 GHz), Norme Wi-Fi: Wi-Fi 5 (802.11ac), Débit de transfert des données WLAN (max): 1300 Mbit/s. Type d'interface LAN Ethernet: Gigabit Ethernet, LAN Ethernet : taux de transfert des données: 10,100,1000 Mbit/s, Technologie de cablâge: 10/100/1000Base-T(X). Algorithme de sécurité soutenu: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK. Type de produit: Routeur, Couleur du produit: Noir, Voyants: LAN, Énergie, Statut, WLAN, WPS

Connexion WAN	
Ethernet WAN *	✔
Emplacement de carte SIM *	✘
Type de connexion WAN	RJ-45
Caractéristiques Wireless LAN	
Bande Wi-Fi *	Bi-bande (2,4 GHz / 5 GHz)
Norme Wi-Fi *	Wi-Fi 5 (802.11ac)
Débit de transfert des données WLAN (max) *	1300 Mbit/s
Standards wifi	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Débit de transfert des données WLAN (bande principale)	1300 Mbit/s
Réseau	
Ethernet/LAN *	✔
Type d'interface LAN Ethernet *	Gigabit Ethernet
LAN Ethernet : taux de transfert des données	10,100,1000 Mbit/s
Technologie de cablâge	10/100/1000Base-T(X)
Standards réseau	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Redirection de port	✔
Dynamic DNS (DDNS)	✔
Connectivité	
Nombre de port ethernet LAN (RJ-45) *	5
Port USB *	✘
Emplacement(s) de carte mémoire	✘
Entrée DC	✔
Caractéristiques de gestion	
Bouton de réinitialisation	✔

Protocoles	
Client DHCP	✔
Serveur DHCP	✔
Reconnaissance automatique des composants de l'ordinateur	✔
Design	
Couleur du produit	Noir
Montage mural	✔
Voyants	LAN, Énergie, Statut, WLAN, WPS
Bouton marche/arrêt intégré	✔
Type de produit *	Routeur
Contenu de l'emballage	
Câbles inclus	Secteur, LAN (RJ-45)
Adaptateur secteur fourni	✔
Guide d'installation rapide	✔
Antenne	
Conception d'antenne *	Externe
Quantité d'antenne	4
Antenne amovible (s)	✘
Puissance de transmission	CE: <20dBm(2.4 GHz), <23dBm(5.15 GHz~5.25 GHz), FCC:<30dBm(2.4 GHz & 5 GHz)
Puissance	
Type de source d'alimentation *	CC
Tension de sortie	12 V
Conditions environnementales	
Température d'opération	0 - 40 °C
Température hors fonctionnement	-40 - 70 °C
Humidité relative de fonctionnement (H-H)	10 - 90%
Taux d'humidité relative (stockage)	5 - 90%

Caractéristiques de gestion	
Sécurité pair Bouton de commande WPS	✔

Sécurité	
Algorithme de sécurité soutenu	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Pare-feu	✔
Accès invité	✔
Liste de contrôle d'accès (ACL)	✔
Stateful Packet Inspection (SPI)	✔
Filtrage d'adresse MAC	✔
Support DMZ	✔

Configuration minimale du système	
Navigateurs supportés	Internet Explorer 11, Firefox 12.0, Chrome 20.0, Safari 4.0
Prise en charge du système d'exploitation Windows	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 98SE, Windows NT, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Prise en charge du système d'exploitation Linux	✔
Prise en charge du système d'exploitation Mac	MacOS
Compatibilité Mac	✔

Informations sur l'emballage	
Largeur du colis	350 mm
Profondeur du colis	240 mm
Hauteur du colis	82 mm
Poids du paquet	250 g

6935364088873

1210002615976

1210002615969

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date