TP-Link Festa FS328G L2/L2+ Gigabit Ethernet (10/100/1000) Blanc

Marque : TP-Link

Code produit: FESTA FS328G

Nom du produit : Festa FS328G



TP-Link Festa FS328G. Banc de commutateurs: L2/L2+. Type de port Ethernet RJ-45 de commutation de base: Gigabit Ethernet (10/100/1000), Quantité de ports Ethernet RJ-45 de commutation de base: 24. Répertoire MAC: 16000 entrées, Capacité de commutation: 56 Gbit/s. Standards réseau: IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z. Grille de montage



Caractéristiques de gestion	
Banc de commutateurs	L2/L2+
Connectivité	
Quantité de ports Ethernet RJ-45 de commutation de base *	24
Type de port Ethernet RJ-45 de commutation de base *	Gigabit Ethernet (10/100/1000)
Quantité d'emplacements de modules SFP	4
Réseau	
Standards réseau *	IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3z
Soutien 10G *	✗
Assistance contrôle des flux	✓
Agrégation de lien	✓
Contrôle Broadcast storm	✓
Auto MDI/MDI-X	✓
Support VLAN	✓
Transmition des données	
Capacité de commutation *	56 Gbit/s
Taux de transfert	41,66 Mpps
Répertoire MAC *	16000 entrées
Support de trames étendues (Jumbo Frames)	✓
Mémoire cache de paquet	12 Mo
Sécurité	
Fonctions DHCP	DHCP relay, DHCP server, DHCP snooping
Liste de contrôle d'accès (ACL)	✓
Filtrage IGMP	✓
Design	

Design	
Voyants	✓
représentation / réalisation	
Mémoire interne	256 Mo
Mémoire flash	32 Mo
Micrologiciel évolutif	✓
Sans ventilateur	✓
Puissance	
Source d'alimentation *	Secteur
Tension d'entrée AC	100 - 240 V
Fréquence d'entrée AC	50/60 Hz
PoE (alimentation via le port Ethernet)	
Connexion Ethernet, supportant l'alimentation via ce port (PoE) *	✗
Conditions environnementales	
Température d'opération	0 - 45 °C
Température hors fonctionnement	-40 - 70 °C
Humidité relative de fonctionnement (H-H)	10 - 90%
Taux d'humidité relative (stockage)	5 - 90%
Poids et dimensions	
Largeur	440 mm
Profondeur	180 mm
Hauteur	44 mm
Contenu de l'emballage	
Câbles inclus	Secteur
Guide d'utilisation	✓
Kit de montage en rack	✓

Design	
Grille de montage *	✔
Couleur du produit	Blanc

Certificat	
Certificats de conformité	CE, Federal Communications Commission (FCC)

8885020624014

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 05-NOV-2026. Prints or copies of Information are only valid on the printed Publication date