APC GVSUPS15KB4HS alimentation d'énergie non interruptible Double-conversion (en ligne) 15 kVA 15000 W



Marque : APC

Code produit: GVSUPS15KB4HS

Nom du produit : GVSUPS15KB4HS

APC GVSUPS15KB4HS. Topologie UPS: Double-conversion (en ligne), capacité de la puissance de sortie: 15 kVA, Puissance de sortie: 15000 W. Types de sortie AC: Hard Wire 3-wire (1PH + N + G), Hard Wire 4-wire (3PH + G). Technologie batterie: Sealed Lead Acid (VRLA), Tension des piles: 480 V. Format: Tower, Couleur du produit: Blanc, Type d'écran: LCD. Certification: CSA C22.2 NO. 107.3, EN/IEC 62040-1, EN/IEC 62040-2, EN/IEC 62040-3, IEC 60721-4-2 Level 2M2, UL...



Caractéristiques	
Topologie UPS *	Double-conversion (en ligne)
capacité de la puissance de sortie *	15 kVA
Puissance de sortie *	15000 W
Forme d'onde *	Sinus
Tension de voltage à l'entrée (min) *	340 V
Tension de voltage à l'entrée (max) *	460 V
Fréquence d'entrée *	40/70 Hz
tension de voltage à la sortie (min)	380 V
Tension de voltage à la sortie (max)	415 V
fréquence de sortie	50/60 Hz
Intensité (max.)	27 A
Nombre de phases d'entrée	3
Nombre de phases de sortie	3
Facteur de puissance d'entrée	0,99
Facteur de crête	2.5:1
Le mode ECO	✔
Tension de sortie THD	3%
Courant d'entrée THD	3%
Niveau sonore	55 dB
Dispositifs de protection électrique	Surcharge, Court-circuit
Alarmes sonores	✔

Connectivité	
Types de sortie AC	Hard Wire 3-wire (1PH + N + G), Hard Wire 4-wire (3PH + G)
SmartSlot	✔

Design	
Format *	Tower
Couleur du produit *	Blanc
Type d'écran	LCD
Code (IP) Internationale Protection	IP20

Conditions environnementales	
Température d'opération	0 - 40 °C
Température hors fonctionnement	-15 - 40 °C
Humidité relative de fonctionnement (H-H)	0 - 95%
Taux d'humidité relative (stockage)	0 - 95%
Altitude de fonctionnement	0 - 1000 m
Altitude de non fonctionnement	0 - 3000 m

Certificat	
Certification	CSA C22.2 NO. 107.3, EN/IEC 62040-1, EN/IEC 62040-2, EN/IEC 62040-3, IEC 60721-4-2 Level 2M2, UL 1778 5th edition

Contenu de l'emballage	
Carte de gestion intégrée	✔
Guide d'installation rapide	✔

Poids et dimensions	
Largeur	521 mm
Profondeur	847 mm
Hauteur	1485 mm
Poids	330 kg

Connectivité	
Port SmartConnect	✕

Batterie	
Technologie batterie	Sealed Lead Acid (VRLA)
Tension des piles	480 V

Informations sur l'emballage	
Largeur du colis	640 mm
Profondeur du colis	990 mm
Hauteur du colis	1680 mm
Poids du paquet	360 kg


Données logistiques	
Code du système harmonisé	85078000



0731304406747



731304406747



5054444446103



5705154232783

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 05-NOV-2026. Prints or copies of Information are only valid on the printed Publication date