StarTech.com RK4242BK24 étagère 42U Rack autonome Noir





Marque : StarTech.com

Code produit: RK4242BK24

Nom du produit : RK4242BK24

StarTech.com RK4242BK24. Type: Rack autonome, Capacité du rack: 42U, Capacité de charge maximale: 1500 kg, Verrouillage des touches, Gestion optimisée des câbles, Roues castor. Poids: 129 kg. Couleur du produit: Noir

Caractéristiques	
Capacité du rack *	42U
Type *	Rack autonome
Capacité de charge maximale *	1500 kg
Capacité de poids maximum (qui roule)	1050 kg
Couleur du produit	Noir
Matériel	Acier
Type de trame	Fermé
Design Produit	4 poste
Construction de la porte arrière	Acier
Construction de la porte avant	Acier
Construction du panneau latéral	Acier
Porte arrière amovible	✔
Porte avant amovible	✔
Panneaux latéraux amovibles	✔
Verrouillage des touches	✔
Verrou à clé pour porte arrière	✔
Verrou à clé pour porte avant	✔
Verrou à clé pour panneau latéral	✔
Épaisseur rail de rack	2,1 mm
Rails de montage réglables	✔
Taille ajustable	✔
Nombre de ventilateurs	0 ventilateur(s)
Gestion optimisée des câbles	✔
Forme de trou de montage	Carré
Vis inférieure de stabilisation	✔

Caractéristiques	
Roues castor	✔
Certification	REACH, CE
Poids et dimensions	
Largeur	604 mm
Profondeur	1056 mm
Hauteur	1960 mm
Largeur interne	60 cm
Profondeur intérieure	105,2 cm
Hauteur interne	187 cm
Poids	129 kg
Profondeur de montage (min)	13,2 cm
Profondeur de montage (max)	89 cm
Informations sur l'emballage	
Écrous fournis	✔
Nombre d'écrous	200
Vis incluses	✔
Nombre de vis	200
Nombre de rondelles incluses	200
Manuel d'utilisation	✔
Largeur du colis	680 mm
Profondeur du colis	1170 mm
Hauteur du colis	2134 mm
Poids du paquet	169 kg
Technical details	
Certificats de conformité	RoHS
Données logistiques	
Code du système harmonisé	85381000
Largeur du carton principal	675 mm
Longueur du carton principal	1190 mm
Hauteur du carton principal	2135 mm

Données logistiques	
Quantité par carton principal	1 pièce(s)
Autres caractéristiques	
Conformité aux standards industriels	EIA/ECA-310-E

0065030867504

065030867504

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date