StarTech.com S351BMU33ET Boîtier de disques de stockage Boîtier HDD Noir 3.5"

Marque : StarTech.com

Code produit: S351BMU33ET

Nom du produit : S351BMU33ET



StarTech.com S351BMU33ET. Type de produit: Boîtier HDD. Nombre d'unités de stockage pris en charge: 1, Taille de l'unité de stockage: 3.5", Interfaces de lecteur de stockage prises en charge: SATA, Série ATA II, Série ATA III, Capacité de stockage maximum: 10 To, Échange à chaud. Couleur du produit: Noir. Connecteur USB: USB Type-B



Support de stockage	
Nombre d'unités de stockage pris en charge *	1
Taille de l'unité de stockage *	3.5"
Interfaces de lecteur de stockage prises en charge *	SATA, Série ATA II, Série ATA III
Échange à chaud	✔
Capacité de stockage maximum	10 To

Connectivité	
Connectivité USB *	✔
Version USB	3.2 Gen 1 (3.1 Gen 1)
Connecteur USB	USB Type-B
Nombre de ports USB	1
Câble USB intégré	✘
Quantité de Ports eSATA	1
Entrée DC	✔

Design	
Type de produit *	Boîtier HDD
Couleur du produit *	Noir
Matériel	Aluminium, Plastique, Acier
Voyants	Activité, Énergie
Bouton marche/arrêt intégré	✔
Nombre de ventilateurs	0 ventilateur(s)
Certification	CE, FCC, REACH

représentation / réalisation	
Jeu de composants	ASMedia - ASM1153E, ASMedia - ASM1456
Support UASP	✔
Cycles d'insertion de connecteur SATA	50000
Plug and Play	✔

Puissance	
Courant d'entrée de l'adaptateur CA	0,8 A
Tension sortie de l'adaptateur secteur	12 V
Courant de sortie de l'adaptateur secteur	2 A

Conditions environnementales	
Température d'opération	0 - 50 °C
Température hors fonctionnement	-20 - 55 °C
Humidité relative de fonctionnement (H-H)	5 - 65%

Poids et dimensions	
Largeur	134 mm
Profondeur	210 mm
Hauteur	38 mm
Poids	520 g
Largeur du colis	244 mm
Profondeur du colis	159 mm
Hauteur du colis	103 mm
Poids du paquet	1,1 kg

Contenu de l'emballage	
Adaptateur secteur fourni	✔
Câbles inclus	Secteur, USB, eSATA
Stand inclus	✔
Guide d'utilisation	✔

Autres caractéristiques	
Type de prise	Type M

Technical details	
Certificats de conformité	RoHS

Données logistiques	
Largeur du carton principal	532 mm

Puissance	
Tension d'entrée de l'adaptateur secteur	100 - 240 V

Données logistiques	
Longueur du carton principal	336 mm
Hauteur du carton principal	281 mm
Quantité par carton principal	10 pièce(s)

0065030872416

065030872416

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date