
CyberPower SM020KAMFA alimentation d'énergie non interruptible Double-conversion (en ligne) 20 kVA 20000 W





Marque : CyberPower

Code produit: SM020KAMFA

Nom du produit : SM020KAMFA

CyberPower SM020KAMFA. Topologie UPS: Double-conversion (en ligne), capacité de la puissance de sortie: 20 kVA, Puissance de sortie: 20000 W. Types de sortie AC: Hardwire, Type d'interface série: RS-232, RS-485. Format: A mettre sur rack, Couleur du produit: Noir, Matériau du boîtier/corps: Métal. Largeur: 485 mm, Profondeur: 775 mm, Hauteur: 607 mm. Largeur du colis: 632 mm, Profondeur du colis: 1022,4 mm, Hauteur du colis: 787,4 mm

Caractéristiques	
Topologie UPS *	Double-conversion (en ligne)
capacité de la puissance de sortie *	20 kVA
Puissance de sortie *	20000 W
Forme d'onde *	Sinus
Tension de voltage à l'entrée (min) *	120 V
Tension de voltage à l'entrée (max) *	220 V
Fréquence d'entrée *	50/60 Hz
tension de voltage à la sortie (min)	120 V
Tension de voltage à la sortie (max)	220 V
fréquence de sortie	50/60 Hz
Régulateur de tension automatique (AVR)	✔
Nombre de phases d'entrée	3
Efficacité	92,5%
Efficacité (monde En ligne)	93%
Facteur de puissance d'entrée	0,99
Facteur de puissance de sortie	1
Facteur de crête	3:1
Bouton de coupure d'urgence d'alimentation (EPO)	✔
Tension de sortie THD	1,5%
Courant d'entrée THD	6%
Niveau sonore	56 dB
Dispositifs de protection électrique	Surcharge

Connectivité	
Types de sortie AC	Hardwire
Type d'interface série	RS-232, RS-485

Connectivité	
Nombre de ports série	2
Port RS-232	1

Batterie	
Batterie échangeable à chaud	✔

Design	
Format *	A mettre sur rack
Matériau du boîtier/corps	Métal
Couleur du produit *	Noir
Type d'écran	LCD
Voyants	Statut
Code (IP) Internationale Protection	IP20

Conditions environnementales	
Température d'opération	0 - 40 °C
Température hors fonctionnement	-20 - 70 °C
Humidité relative de fonctionnement (H-H)	0 - 95%
Taux d'humidité relative (stockage)	0 - 95%
Altitude de fonctionnement	0 - 3048 m
Altitude de non fonctionnement	1000 - 3048 m

Contenu de l'emballage	
Kit de montage en rack	✔

Poids et dimensions	
Largeur	485 mm
Profondeur	775 mm
Hauteur	607 mm
Poids	60,7 kg

Informations sur l'emballage	
Largeur du colis	632 mm
Profondeur du colis	1022,4 mm
Hauteur du colis	787,4 mm

Informations sur l'emballage	
Poids du paquet	92 kg



0649532931194



649532931194

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date