CyberPower ST425 alimentation d'énergie non interruptible Veille 0,425 kVA 260 W 8 sortie(s) CA





Marque : CyberPower

Code produit: ST425

Nom du produit : ST425

CyberPower ST425. Topologie UPS: Veille, capacité de la puissance de sortie: 0,425 kVA, Puissance de sortie: 260 W. Types de sortie AC: NEMA 5-15R, Prise mâle: NEMA 5-15P, Nombre de prises en sortie: 8 sortie(s) CA. Technologie batterie: Sealed Lead Acid (VRLA), Capacité de la batterie: 2,9 Ah, Tension des piles: 12 V. Format: Compact, Couleur du produit: Noir, Longueur de câble: 1,5 m. Compliance certificates: RoHS

Caractéristiques	
Topologie UPS *	Veille
capacité de la puissance de sortie *	0,425 kVA
Puissance de sortie *	260 W
Forme d'onde *	Pseudo sine
Tension de voltage à l'entrée (min) *	96 V
Tension de voltage à l'entrée (max) *	140 V
Fréquence d'entrée *	47/63 Hz
tension de voltage à la sortie (min)	120 V
Tension de voltage à la sortie (max)	120 V
fréquence de sortie	50/60 Hz
Estimation de montée subite d'énergie	890 J
Durée du transfert (Mode en ligne vers mode batterie)	8 ms
Filtre de bruit EMI/RFI	✔
Protection contre les surtensions	✔
Dispositifs de protection électrique	Surcharge
Alarmes sonores	✔
Modes d'alarme sonore	Alarme en mode batterie, Panne, Alarme de batterie faible, Alarme de surcharge
Prise disjoncteur	✔

Connectivité	
Types de sortie AC	NEMA 5-15R
Prise mâle	NEMA 5-15P
Nombre de prises en sortie	8 sortie(s) CA

Batterie	
Technologie batterie	Sealed Lead Acid (VRLA)
Capacité de la batterie	2,9 Ah
Tension des piles	12 V

Batterie	
Nombre de batteries prises en charge	1
Temps de secours type au chargement complet	1,5 min
Temps de secours type à demi de charge	6 min
Temps de rechargement de la batterie	8 h

Design	
Format *	Compact
Longueur de câble	1,5 m
Couleur du produit *	Noir
Voyants	Énergie

Conditions environnementales	
Température d'opération	0 - 40 °C
Température hors fonctionnement	-15 - 45 °C
Humidité relative de fonctionnement (H-H)	0 - 95%
Altitude de fonctionnement	0 - 3000 m
Altitude de non fonctionnement	0 - 15000 m

Certificat	
Certificats de conformité	RoHS

Contenu de l'emballage	
Manuel d'utilisation	✔

Safety regulation & standards	
Sécurité	UL1778, cUL, FCC DOC B, CEC

Sustainability	
Certificats de durabilité	ENERGY STAR

Poids et dimensions	
Largeur	210 mm

Poids et dimensions	
Profondeur	81 mm
Hauteur	114 mm
Poids	1,72 kg



0649532621507



649532621507

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date