Eaton SU6000RTFMB alimentation d'énergie non interruptible Double-conversion (en ligne) 6 kVA 5400 W 21 sortie(s) CA



Marque : Eaton

Code produit: SU6000RTFMB

Nom du produit : SU6000RTFMB

Eaton SU6000RTFMB. Topologie UPS: Double-conversion (en ligne), capacité de la puissance de sortie: 6 kVA, Puissance de sortie: 5400 W. Types de sortie AC: NEMA 5-20R, NEMA L6-20R, NEMA L6-30R, Prise mâle: NEMA L6-30P, Nombre de prises en sortie: 21 sortie(s) CA. Technologie batterie: Sealed Lead Acid (VRLA), Temps de secours type au chargement complet: 8 min, Temps de secours type à demi de charge: 3 min. Format: Rack/Tour, Couleur du produit: Noir, Capacité du rack: 6U. Compliance certificates: Federal Communications Commission (FCC), CE, RoHS, REACH, Norme officielle mexicaine (NOM), CSA,...



Caractéristiques	
Topologie UPS *	Double-conversion (en ligne)
capacité de la puissance de sortie *	6 kVA
Puissance de sortie *	5400 W
Forme d'onde *	Sinus
Tension de voltage à l'entrée (min) *	200 V
Tension de voltage à l'entrée (max) *	240 V
tension de voltage à la sortie (min)	200 V
Tension de voltage à la sortie (max)	240 V
fréquence de sortie	50/60 Hz
Régulation de la tension de sortie	+/- 1%
Estimation de montée subite d'énergie	390 J
Nombre de phases d'entrée	1
Efficacité	93%
Facteur de puissance	0,99
Facteur de crête	3:1
Filtre de bruit EMI/RFI	✔
Niveau sonore	45 dB
Protection contre les surtensions	✔

Connectivité	
Types de sortie AC	NEMA 5-20R, NEMA L6-20R, NEMA L6-30R
Prise mâle	NEMA L6-30P
Nombre de prises en sortie	21 sortie(s) CA
Port USB	✔
Quantité de Ports USB 2.0	2
Type de port USB	USB Type-A/USB Type-B

Connectivité	
Nombre de port ethernet LAN (RJ-45)	1

Batterie	
Technologie batterie	Sealed Lead Acid (VRLA)
Temps de secours type au chargement complet	8 min
Temps de secours type à demi de charge	3 min

Design	
Format *	Rack/Tour
Capacité du rack	6U
Longueur de câble	3 m
Couleur du produit *	Noir
Type d'écran	LCD

Conditions environnementales	
Température d'opération	0 - 40 °C
Température hors fonctionnement	-25 - 55 °C
Humidité relative de fonctionnement (H-H)	0 - 95%
Altitude de fonctionnement	0 - 3000 m

Certificat	
Certificats de conformité	Federal Communications Commission (FCC), CE, RoHS, REACH, Norme officielle mexicaine (NOM), CSA, UL, cTUVus

Contenu de l'emballage	
Kit de montage en rack	✔
Câbles inclus	RS-232, Câble USB
Manuel d'utilisation	✔

Sustainability	
Certificats de durabilité	ENERGY STAR

Poids et dimensions	
Largeur	439,4 mm
Profondeur	863,6 mm
Hauteur	259 mm
Poids	93,7 kg



0037332286383



037332286383

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date