TP-Link TG-3468 Interne Ethernet 2000 Mbit/s

Marque : TP-Link

Code produit: TG-3468 V2

Nom du produit : TG-3468



TP-Link TG-3468. Interne. Technologie de connectivité: Avec fil, Interface de l'hôte: PCI Express, Interface: Ethernet. Débit de transfert des données maximum: 2000 Mbit/s. Couleur du produit: Vert, Gris



Connectivité	
Technologie de connectivité *	Avec fil
Interface de l'hôte *	PCI Express
Interface *	Ethernet
Nombre de port ethernet LAN (RJ-45)	1

Réseau	
Débit de transfert des données maximum *	2000 Mbit/s
Standards réseau *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x
Ethernet/LAN	✔
Type d'interface Ethernet	Gigabit Ethernet
LAN Ethernet : taux de transfert des données	10,100,1000 Mbit/s
Technologie de cablâge	10/100/1000BaseT(X)
Wake-on-LAN prêt	✔
Auto MDIX IEEE	✔
Full duplex	✔
Négociation automatique	✔
Qualité de service (QoS)	✔
Marquage VLAN	✔
Distance de fonctionnement maximum	100 m

Design	
composant pour *	PC
Couleur du produit	Vert, Gris
Interne *	✔
Voyants	Statut
Certification	FCC, BSMI, VCCI

Configuration minimale du système	
Prise en charge du système d'exploitation Windows	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64

Conditions environnementales	
Température d'opération	0 - 40 °C
Température hors fonctionnement	-40 - 70 °C
Humidité relative de fonctionnement (H-H)	10 - 90%
Taux d'humidité relative (stockage)	5 - 90%

Sustainability	
Conformité à la durabilité	✔

Poids et dimensions	
Largeur	78,5 mm
Profondeur	120,8 mm
Hauteur	21,5 mm

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date

Informations sur l'emballage	
Largeur du colis	160 mm
Profondeur du colis	135 mm
Hauteur du colis	30 mm
Poids du paquet	100 g
Contenu de l'emballage	
crochets d'élévation inclus	✔
CD de ressources	✔
Guide d'installation rapide	✔
Technical details	
Certificats de conformité	BSMI, CE, Federal Communications Commission (FCC), RoHS
Données logistiques	
Code du système harmonisé	85176990
Autres caractéristiques	
Assistance contrôle des flux	✔

0840460604796

840460604796

6935364001049

1210002617666

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 06-NOV-2026. Prints or copies of Information are only valid on the printed Publication date