



TP-Link TL-SG105-M2 commutateur réseau Non-géré 2.5G Ethernet (100/1000/2500) Noir

Marque : TP-Link

Code produit: TL-SG105-M2

Nom du produit : TL-SG105-M2



TP-Link TL-SG105-M2. Type de commutateur: Non-géré. Type de port Ethernet RJ-45 de commutation de base: 2.5G Ethernet (100/1000/2500), Quantité de ports Ethernet RJ-45 de commutation de base: 5. Répertoire MAC: 16000 entrées, Capacité de commutation: 25 Gbit/s. Standards réseau: IEEE 802.3, IEEE 802.3ab, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z



Caractéristiques de gestion		Puissance	
Type de commutateur *	Non-géré	Courant d'entrée	1 A
Connectivité		Tension d'entrée	12 V
Quantité de ports Ethernet RJ-45 de commutation de base *	5	Consommation (max)	12,11 W
Type de port Ethernet RJ-45 de commutation de base *	2.5G Ethernet (100/1000/2500)	PoE (alimentation via le port Ethernet)	
Quantité de ports Ethernet 2.5 G (cuivre)	5	Connexion Ethernet, supportant l'alimentation via ce port (PoE) *	×
Réseau		Conditions environnementales	
Standards réseau *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Température d'opération	0 - 40 °C
Soutien 10G *	×	Température hors fonctionnement	-40 - 70 °C
Auto MDI/MDI-X	✓	Humidité relative de fonctionnement (H-H)	10 - 90%
LAN Ethernet : taux de transfert des données	10,100,1000 Mbit/s	Taux d'humidité relative (stockage)	5 - 90%
Négociation automatique	✓	Dissipation thermique	41,32 BTU/h
Transmission des données		Poids et dimensions	
Capacité de commutation *	25 Gbit/s	Largeur	209 mm
Taux de transfert	18,6 Mpps	Profondeur	126 mm
Répertoire MAC *	16000 entrées	Hauteur	26 mm
Enregistrement-et-réémission	✓	Contenu de l'emballage	
Support de trames étendues (Jumbo Frames)	✓	Câbles inclus	LAN (RJ-45)
Trames géantes	10000	Guide de démarrage rapide	✓
Mémoire cache de paquet	1,5 Mo	Informations sur l'emballage	
Design		Largeur du colis	240 mm
Grille de montage *	×	Profondeur du colis	315 mm
		Hauteur du colis	70 mm
		Poids du paquet	920 g
		Certificat	

Design		Certificat	
Couleur du produit	Noir	Certification	CE, FCC ,RoHS
Voyants	✓	Données logistiques	
Puissance		Code du système harmonisé	85176990
Source d'alimentation *	CC		
Bloc d'alimentation inclus *	✓		



6935364052898




6935364052881



0845973089757



845973089757



1210002612654



1210002612661

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.